


PRESS

PRESS KIT

INTERSOLAR 2011



PRESS RELEASE

New Products by Taconova for Intersolar 2011:

Pump groups with enhanced performance and applications

Hot water stations for high peak usage

Urdorf / Singen, 8 June 2011 – Taconova has extended the product range for hot water and solar storage stations with further models. There are three designs to choose from for hygienic and on-demand potable water heating using the continuous flow principle, with possible uses ranging from small-scale consumption to major installations featuring 200 l/min hot water capacity. New in the range is an all-in-one station which, in addition to potable water heating using the continuous flow process, also supplies underfloor heating. The performance ranges of the solar storage loading stations have also been increased; in the new designs they now cover 100 to 240 kW. The extended product family of the pre-assembled stations for potable water heating and storage loading has also received new names in the course of this step in innovation. Hence Taconova will be offering the hot water stations under the name TacoTherm (formerly Megafresh), while the Megasphere storage loading station has been renamed TacoSol Load.

Continuous flow water heating up to 200 l/min

High hot-water capacities combined with precision controllable draw-off temperatures, even for the smallest tapping quantities, are the main features of the hot-water station TacoTherm Fresh 120-200. This station provides hot water performance ratings of 120, 160 or 200 l/min, depending on the model, via a stainless steel plate heat exchanger, applying the continuous-flow principle. Speed-regulated primary circuit pumps in combination with the electronic control ensure a very precise temperature even for the smallest tapping quantities, without requiring a minimum volume flow rate in the hot-water network.

(Picture + Text)



The hot water station TacoTherm Fresh 120-200 provides high hot water performance ratings and at the same time a precision controllable draw-off temperature even for the smallest tapping quantities

(File: TacoTherm_Fresh_120-200.jpg)

You will also find the text and illustrations in digital form at www.taconova.com on the tab "Press".

Reprint is free of charge, please forward a copy

Media contact person:

Taconova Group AG
Miklos Hedrich
Head Marketing Communications
Tel. +41 (0)44 735 55 69
miklos.hedrich@taconova.com

Taconova GmbH
Wolfgang Heini
Fach-PR für Unternehmen
der SHK-Branche
Tel. +49(0) 75 22 90 94 31
E-Mail wolfgang.heini@t-online.de

Taconova Group AG with registered office in Urdorf near Zurich, Switzerland, is a traditional firm with 50 years' experience in intelligent building services engineering solutions. Its core competencies encompass hydraulic alignment, distribution technology, systems engineering and valve technology. Taconova products are being successfully used in 30 countries. Among the core markets are Switzerland, Germany, Austria, France and England.